

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	BRODSKY et al.	Examiner:	Unassigned
Serial No.:	Unassigned	Group Art Unit:	Unassigned
Filed:	October 31, 2003	Docket No.:	SJO920030059US1 (IBMS.076PA)
Title:	METHOD AND APPARATUS FOR PROVIDING COMPRESSIVE CONNECTION WITH ELECTROSTATIC DISCHARGE DISSIPATIVE PROPERTIES		

CERTIFICATE UNDER 37 CFR 1.10

Express Mail' mailing label number: EV 309496205 US

Date of Deposit: October 31, 2003

I hereby certify that this paper or fee is being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

By:

Name: Kathleen McDevitt

INFORMATION DISCLOSURE STATEMENT (37 C.F.R. §1.97(b))

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted either within three months of the filing date or before the first Office Action of the above-identified application. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. §1.98(a)(2), and the 05 August 2003 Official Gazette Notice, only a copy of each foreign document or non-U.S. patent/application listed on the enclosed Form 1449 is provided.

Please note that any notations or markings on the attached documents do not reflect particular relevance, or lack thereof, to the present application, nor were they necessarily made by anyone affiliated with the prosecution of the present application.


No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Respectfully submitted,

Crawford Maunu PLLC
1270 Northland Drive
Suite 390
St. Paul, MN 55120
651/686-6633

Date: October 31, 2003

By: 
David W. Lynch
Reg. No. 36,204

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: SJO920030059US1	Application Number: Unassigned
	Applicant: BRODSKY et al.	
	Filing Date: 10/31/2003	Group Art Unit: Unassigned

[illegible]

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

*** ** DOCUMENT NO. AAA87A062758 *** **

TITLE Electrostatic Eliminators for Connector Cables. July 1987.

ORDER 87A 62758

LOCATION Tucson

INVENTOR Nilsen, NF

PUBNAME Research Disclosure n279 07-87

DISCLOSUR TU8860193

TEXT An eliminator pad for discharging electrostatic charges from cables to data processing systems can be made by suspending conductive particles in an elastomer base and fastening the pad next to the conductor plug.

Device interface cables, when not connected to an active device, will accumulate an electrostatic charge. The charge can intensify as cables are dragged across computer room floors. When the cables are attached, the charge can discharge through the logic drivers potentially causing damage.

The eliminator pad is constructed of a composite of particles of an electrically conductive material, such as silver, nickel or carbon suspended in a silicon elastomer base. A soft and pliable pad results that is electrically conductive. The pad is mounted to the device frame adjacent to the cable plug connectors such that the pad is essentially at earth ground. Before the cable is connected to the plug connectors, the cable plug is touched to the pad to discharge any electrostatic charge in the plug pins. The soft pad protects the pins from physical damage while discharging the charge to the frame.

Disclosed anonymously.